

3-1-1995

Characterization of a *Saccharomyces cerevisiae* strain deleted for the RAD27 gene; a structural homolog of the RAD2 nucleotide excision repair gene

Michael S. Reagan

College of Saint Benedict/Saint John's University, mreagan@csbsju.edu

Wolfram Siede

Errol C. Friedberg

Follow this and additional works at: http://digitalcommons.csbsju.edu/biology_pubs



Part of the [Biology Commons](#), and the [Molecular genetics Commons](#)

Recommended Citation

Reagan MS, Pittenger C, Siede W, Friedberg EC. 1995. Characterization of a *Saccharomyces cerevisiae* strain deleted for the RAD27 gene; a structural homolog of the RAD2 nucleotide excision repair gene. *Journal of Cellular Biochemistry* 59 Suppl. 21A: 303.

This is the peer reviewed version of the following article: Reagan MS, Pittenger C, Siede W, Friedberg EC. 1995. Characterization of a Saccharomyces cerevisiae strain deleted for the RAD27 gene; a structural homolog of the RAD2 nucleotide excision repair gene. Journal of Cellular Biochemistry 59 Suppl. 21A: 303, which has been published in final form at <http://dx.doi.org/10.1002/jcb.240590607>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

This is the peer reviewed version of the following article: Reagan MS, Pittenger C, Siede W, Friedberg EC. 1995. Characterization of a *Saccharomyces cerevisiae* strain deleted for the *RAD27* gene; a structural homolog of the *RAD2* nucleotide excision repair gene. *Journal of Cellular Biochemistry* 59 Suppl. 21A: 303, **which has been published in final form at <http://dx.doi.org/10.1002/jcb.240590607>. This article may be used for non-commercial purposes in accordance with [Wiley Terms and Conditions for Self-Archiving](#).**

CHARACTERIZATION OF A *Saccharomyces cerevisiae* STRAIN DELETED FOR THE *RAD27* GENE; A STRUCTURAL HOMOLOG OF THE *RAD2* NUCLEOTIDE EXCISION REPAIR GENE

Michael S. Reagan

Wolfram Siede

Errol C. Friedberg

Department of Pathology, University of Texas Southwestern Medical Center, Dallas, TX 75235

We have constructed a strain of the yeast *Saccharomyces cerevisiae* which is deleted of the YKL510 open reading frame, initially identified in chromosome XI as a homolog of the *RAD2* nucleotide excision repair gene (A. Jacquier, P. Legrain, and B. Dujon, *Yeast* 8:121-132, 1992). The mutant strain exhibits moderate sensitivity to ultraviolet (UV) light and severe sensitivity to the alkylating agents methylmethane sulfonate, methylnitrosourea, and N-methyl-N'-nitro-N-nitrosoguanidine, but is not sensitive to ionizing radiation. We have renamed the YKL510 open reading frame the *RAD27* gene, in keeping with the accepted nomenclature for radiation-sensitive yeast mutants. Epistasis analysis indicates that the gene is in the *RAD6* group of genes involved in DNA damage tolerance and mutagenesis. The mutant strain is temperature-sensitive, with the cells arresting uniformly as large-budded dumbbell shaped cells containing a single nucleus with a 2N DNA content. The strain also exhibits increased plasmid loss and increased spontaneous mutagenesis, but is normal with respect to UV-induced mutagenesis. Transcript levels of the *RAD27* gene are cell cycle regulated in a manner similar to that of several other genes whose products are known to be involved in DNA replication. These data are consistent with the *Rad27* protein having a role in both DNA replication and DNA repair.